

DENVER

MADISON

**ORLANDO** 

MILWAUKEE

JACKSONVILLE.

LOS ANGELES





# **FOLEY & LARDNER**

ONE MARITIME PLAZA, SIXTH FLOOR SAN FRANCISCO, CALIFORNIA 94111-3404 TELEPHONE: (415) 434-4484 FACSIMILE: (4 | 5) 434-4507

SACRAMENTO SAN DIEGO SAN FRANCISCO TALLAHASSEE TAMPA WASHINGTON, D.C. WEST PALM BEACH

025182-0106

WRITER'S DIRECT LINE (415) 438-6454

CLIENT/MATTER NUMBER

EMAIL ADDRESS Jhendrickson@foleylaw.com

October 11, 2001

#### VIA EXPRESS MAIL

Commissioner for Patents Washington, D.C. 20231

> Re: Nonprovisional Patent Application No. 09/898,171

> > **Requests to Correct Inventorship**

Date Filed: July 3, 2001

Dear Sir or Madam:

Attached hereto you will find the following regarding the above application:

- 1. Transmittal of Corrected Drawings; and
- Copy of Notice to File Corrected Application Papers 2.

Respectfully submitted,


Jay P. Hendrickson

Reg. No. 37, 147

JPH:sam Enclosures

Cc (w/enclosures):

Joakim F. Peleus Claro Villanueva



Page 1 of 1

COMMISSIONER FOR PATENTS UNITED STATES PATENT AND TRADEMARK OFFICE WASHINGTON, D.C. 20231 www.uspto.gov

APPLICATION NUMBER

FILING/RECEIPT DATE

FIRST NAMED APPLICANT

ATTORNEY DOCKET NUMBER

09/898,171

Joakim F. Peleus

025182-0106

**CONFIRMATION NO. 9630** 

**FORMALITIES LETTER** 

OC000000006465191\*

Jay P. Hendrickson **FOLEY & LARDNER** One Maritime Plaza Sixth Floor

San Francisco, CA 94111-3404

Date Mailed: 08/23/2001

# NOTICE TO FILE CORRECTED APPLICATION PAPERS

## Filing Date Granted

This application has been accorded an Application Number and Filing Date. The application, however, is informal since it does not comply with the regulations for the reason(s) indicated below. Applicant is given TWO MONTHS from the date of this Notice within which to correct the informalities indicated below. Extensions of time may be obtained by filing a petition accompanied by the extension fee under the provisions of 37 CFR 1.136(a)

The required item(s) identified below must be timely submitted to avoid abandonment:


- Substitute drawings in compliance with 37 CFR 1.84 because:
  - drawing sheets do not have the appropriate margin(s) (see 37 CFR 1.84(g)). Each sheet must include a top margin of at least 2.5 cm. (1 inch), a left side margin of at least 2.5 cm. (1 inch), a right side margin of at least 1.5 cm. (5/8 inch), and a bottom margin of at least 1.0 cm. (3/8 inch);

A copy of this notice MUST be returned with the reply.

**Customer Service Center** 

Initial Patent Examination Division (703) 308-1202

PART 2 - COPY TO BE RETURNED WITH RESPONSE







#### IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant:

Joakim F. Peleus and Claro

Villanueva

Title:

System And Method For Normalizing A Resume

Appl. No.:

09/898,171

Filing Date: July 3, 2001

Examiner:

**USPTO EXAMINER** 

Art Unit:

USPTO ART UNIT

CERTIFICATE OF EXPRESS MAILING  I hereby certify that this correspondence is being deposited with the United States Postal Service's "Express Mail Post Office To Addressee" service under 37 C.F.R. § 1.10 on the date indicated below and is addressed to: Commissioner for
Patents, Washington, D.C. 20231.
ET461519461US (S///D) (Express Mail Label Number) (Date of Deposit)  STACH MURICAN
(Printed Name)
Signature)

### TRANSMITTAL OF CORRECTED DRAWINGS

Commissioner for Patents Washington, D.C. 20231

ATTENTION: DRAWING REVIEW BRANCH

Sir:

Transmitted herewith are the corrected formal drawings (5 sheets, Figures 1-5) for the above-identified application. The Official Draftsperson is respectfully requested to approve these drawings for entry into the application.

Βv

Respectfully submitted,

**FOLEY & LARDNER** 

One Maritime Plaza

Sixth Floor

San Francisco, California 94111-3404

Telephone:

(415) 438-6454

Facsimile:

(415) 434-4507

Customer Number: 25734

Jay Hendrickson

Attorney for Applicant

Registration No. 37,147